



Will Smallpox Be the Next 'Lab Leak'?

Analysis by [Dr. Joseph Mercola](#)

✓ Fact Checked

STORY AT-A-GLANCE

- › While attempts have been made to assess the risks posed by research on lethal pathogens, we still know very little. We don't know the frequency at which lab accidents happen, how often lab accidents result in exposures, or the underlying factors that allow for incidents and exposures
- › We also do not know what features might be most effective at mitigating incidents, and we lack answers to basic questions such as fluid dynamics of a spill
- › Human error is 100 times more likely to cause an accidental release of a dangerous pathogen than any kind of mechanical failure
- › In recent weeks, a number of news reports have hinted at the possibility of a bioterror attack involving smallpox. November 4, 2021, Bill Gates warned about the possibility of a smallpox terror attack during a Policy Exchange future pandemics meeting
- › November 3, 2021, the CDC's Advisory Committee on Immunization Practices reviewed two presentations featuring a newer attenuated live smallpox vaccine called JYNNEOS. Smallpox has also been featured in pandemic exercises such as Operation Dark Winter in 2001

"You should be afraid of the next 'lab leak.'" So, declares a New York Times headline, November 23, 2021.¹ And they may well be correct. In recent weeks, insinuations hinting at a potential smallpox outbreak have circulated in the news, while additional evidence of COVID-19 being the result of a lab leak have emerged.² As reported by

The New York Times:³

"The National Emerging Infectious Diseases Laboratories ... in Boston's South End ... has one of the larger collections of Biosafety Level 4 and Biosafety Level 3 labs in the world. These kinds of facilities are where research on the planet's most threatening pathogens takes place.

Ebola, Lassa, Marburg viruses: All are designated for Level 4 work by the National Institutes of Health, meaning they are both transmissible and highly pathogenic, with few (or no) treatments for those who become infected with them ...

In 2015, the NIH commissioned a consulting firm called Gryphon Scientific to do a risk assessment⁴ of certain types of research at U.S. labs. The result, released in April 2016, was a thousand-page report that concluded, among other things, that experiments to improve the transmissibility of coronaviruses in a lab could 'significantly' increase the chance of a pandemic 'due to a laboratory accident.'

Safety Questions Abound

While the Gryphon report⁵ concluded that the risk of a pathogen with pandemic potential (PPP) causing a global pandemic was low, the lead author of the report, Rocco Casagrande, a former United Nations weapons inspector, told The New York Times that the list of uncertainties is a long one. In fact, we don't know much about anything. For example, we do not know:⁶

- The frequency at which lab accidents happen
- How often lab accidents result in exposures
- The underlying factors that allow for incidents and exposures
- What features might be most effective at mitigating incidents (such as additional training, additional containment equipment or engineering controls)

- Answers to basic questions such as fluid dynamics of a spill (i.e., what happens when a flask is dropped and shattered? How are pathogens dispersed in different kinds of accidents?)

All of these shortcomings mean we don't even know what we should invest in to make research on PPPs safer. It also suggests the conclusion of the report is more of a guess than a definitive risk assessment. They assume the pandemic risk is low, but it might not be, since they're making a series of assumptions that may or may not be accurate in the real world.

Secrecy Is Part of the Problem

One reason for this lack of insight is that many biosafety labs are not required to be transparent about what happens inside their walls. Casagrande likens them to "a big black box." As noted by the NYT:⁷

"... the most concerning aspect about high-containment biolabs is that, considered as a collective, they may only be as safe as the worst lab among them: A breach or a breakdown at one could imperil us all."

It stands to reason then that one way to reduce the risk of another manmade pandemic is to demand full transparency. (Of course, the most effective strategy would be to ban PPP research altogether, worldwide, but barring that possibility, transparency and independent review would at least be a step in the right direction.)

Remarkably, we don't even have a complete list of all biosafety Level 4 (BSL4) labs. Estimates suggest there are 59 in operation around the world, but "there is no official international database keeping track of the labs and no requirement for governments to acknowledge their existence — either publicly or to the World Health Organization," the NYT writes.⁸

Three Types of Risks

As explained by the NYT, the risks associated with these BSLs can be broken into three main categories:

1. **Biosafety** – Making sure workers are not exposed to dangerous pathogens through training and containment technologies
2. **Biosecurity** – Ensuring dangerous pathogens aren't stolen or misused for nefarious purposes
3. **Cyberbiosecurity** – Ensuring data, such as viral genomic data, are not tampered with remotely

Failure in one or more of these areas can have devastating consequences, and such failures can occur either intentionally or accidentally. In addition to these, there's the most unpredictable danger of all, namely human error.

All the technological safeguards may be in place, but the human element may still negate some or all of them. And, according to Casagrande, human error is 100 times more likely to cause an accident than any kind of mechanical failure.

Smallpox – The Next Threat?

As noted by the Times, there are only two BSL4 labs in the world that hold live variola virus, the virus that causes smallpox, a highly infectious and deadly infection that was declared fully eradicated in 1980. One is the U.S. Centers for Disease Control and Prevention's BSL4 lab in Atlanta; the other is the Vector Institute's BSL4 lab in Koltsovo, Russia.⁹

The original smallpox virus had a fatality rate of about 30%, and the U.S. stopped routine vaccination against it in 1972. The last known outbreak in the U.S. occurred in 1947.¹⁰

One of the last known deaths from smallpox took place in 1978. A British medical photographer contracted the infection at a medical school in Birmingham, where she

worked. The university had a WHO-related smallpox research lab, which according to an investigation failed to meet the basic guidelines set by the Dangerous Pathogens Advisory Group.

The WHO had ordered the closure of the lab, but four months before its scheduled closure, the photographer, Janet Parker, was exposed. It's believed she came into contact with the virus "while making telephone calls from a disused office next to her darkroom. This office was linked to Bedson's animal pox room below a service duct, with access to the duct on each floor provided by inspection panels," The Desert Review reports.¹¹

“ Bill Gates has preemptively warned us about smallpox terror attacks during a Policy Exchange future pandemics meeting, November 4, 2021. According to Gates, the threat of bioterrorism is likely far greater than that of a natural outbreak.”

But there's nothing to prevent the creation of a synthetic or modified version of the virus, which may be even worse. As reported by the Independent,¹² Bill Gates preemptively warned us about smallpox terror attacks during a Policy Exchange future pandemics meeting, November 4, 2021. According to Gates, the threat of bioterrorism is likely far greater than that of a natural outbreak.

As you might expect, he's urging governments to spend billions of dollars to prepare for such an event, and much of this investment would, of course, go to companies and organizations that he directly profits from.

CDC Prepared With Smallpox Vaccine

Interestingly enough, the day before Gates made those comments, the CDC's Advisory Committee on Immunization Practices (ACIP) reviewed two presentations featuring a

newer attenuated live smallpox vaccine called JYNNEOS (also known as Imvamune or Imvanex¹³). As reported by Precision Vaccinations:¹⁴

“Produced by Bavarian Nordic, JYNNEOS was initially approved in 2019 by the U.S. Food and Drug Administration (FDA) and is indicated for preventing smallpox and monkeypox disease in adults 18 years of age and older determined to be at high risk for smallpox or monkeypox infection.

JYNNEOS is the only FDA-approved non-replicating smallpox vaccine and the only FDA-approved monkeypox vaccine for non-military use. Brett Petersen, M.D., MPH, presented the new proposed ‘clinical guidance for the use of JYNNEOS as it compares to an older smallpox vaccine, ACAM2000, which the ACIP currently recommends.

Many persons with contraindications to vaccination with ACAM2000 (e.g., atopic dermatitis, immunocompromising conditions, breastfeeding, or pregnancy) may receive vaccination with JYNNEOS ...

Currently, the smallpox vaccine is not recommended for the general public in the USA since smallpox has been eradicated ... However, U.S. health officials are prepared to use a vaccine if there were a smallpox outbreak, says the CDC.”

Smallpox Vials Found in Merck Lab

The focus on smallpox vaccine is suspiciously timely, as five vials labeled “smallpox” were found in a Pennsylvania Merck facility November 15, 2021. There were also 10 vials labeled “vaccinia,” a virus that belongs to the poxvirus family.^{15,16}

The vials were discovered by a laboratory worker while cleaning out a freezer. The Merck facility conducts vaccine research, but as noted earlier, only two facilities in the world are permitted to store the deadly smallpox virus. Merck is not one of them.

Within days, it was widely reported that the five vials were “mislabeled” and did not, in fact, contain the smallpox virus (variola). They all contained the vaccinia virus, which is used in smallpox vaccine.¹⁷ All of the vials were reportedly intact, and the worker was wearing a facemask and gloves. Based on this, it is assumed that the worker was not exposed and no viral release has taken place.

This isn't the first time vials with potentially lethal pathogens have been found in places where they're not supposed to be. In 2014, 60-year-old glass vials containing freeze-dried smallpox were found lying around in an old storage room at the NIH facility in Bethesda, Maryland.¹⁸

In 2019, an explosion rocked the Koltsovo, Russia lab, sending one lab worker to the hospital. According to news reports, the PPP stockpiles were not affected. Still, it just goes to show one needs to take every eventuality into account. Anything can happen. There are a million ways in which something can go wrong.

Operation Dark Winter

Then, of course, we have Operation Dark Winter,¹⁹ a pandemic exercise featuring an intentional smallpox terror attack on the U.S. This tabletop exercise took place in 2001, and like the 2019 Event 201 (which featured an outbreak of coronavirus), it was hosted by Johns Hopkins and funded by the Bill & Melinda Gates Foundation.

Incidentally, in a November 2020 speech about the need for ongoing pandemic measures, then president-elect Biden warned we would be facing a “very dark winter;”²⁰ a statement that many found both curious and ominous.

Signs and Symptoms of Smallpox

As mentioned, smallpox has a lethality rate of about 30% and is highly infectious. During the 20th century, an estimated 300 million people have succumbed to the smallpox virus around the world. The incubation period is between seven and 14

days. Initial symptoms include high fever, headache, backache and vomiting. This is then followed by a bodywide rash. The rash will often emerge in the mouth, throat and tongue first, and then spread to the face, arms, torso and legs.

It is during the rash stage that the patient is most infectious. The rash then progresses to pus-filled pustules that scab over and fall off for about 10 days. Those who survive the infection can be left with permanent scarring. Blindness has also been reported.

In 2009, CDC scientists reported they'd finally identified the mechanism that makes smallpox so lethal. By attacking interferon binding protein, a molecule your body produces that blocks viral replication, the virus ends up crippling your immune system. As reported by Science Daily:²¹

"The researchers ... showed that cells infected with variola ... produced a protein that blocks a wide range of human interferons, which are molecules produced by our immune systems meant to stop viral replication."

The virus is known to spread via direct contact and shared items such as sheets, towels and clothing, as well as respiratory particles. Vaccination with the live virus vaccine, ACAM2000, will also leave you infectious until the lesion at the injection site has scabbed over and fallen off, leaving a dime-sized scar. Care must be taken to protect the injection site from other parts of your body and other individuals.

Biowarfare and Global Tyranny

Since the first quarter of 2020, we've already gotten a taste of what The Great Reset will mean for public health. It's basically founded on the premise that we live in a biosecurity state, where unelected "stakeholders" decide what is best for us – even if it kills us.

It's undeniable that the COVID countermeasures have wrought far more destruction than the virus actually has, and these countermeasures continue to destroy lives and

kill people unnecessarily, all under the banner of keeping us “safe” from disease.

Hospitals around the U.S. have all been instructed to use the deadliest COVID treatments imaginable, and doctors who defy the guidance and actually do what is best for their patients are having their medical licenses threatened. Merely speaking out about effective COVID treatments will put a bullseye on a physician’s back.

In countries everywhere, people are told COVID shots are the only way forward, and vaccine passports – once derided as a paranoid conspiracy theory – are being implemented. Who made these decisions? No one is admitting the real source of these lockstep decisions, but we can be sure they’re coming from a central hub, run by people no one ever voted into power.

Around the world, a twisted mind game is being played out, where world leaders are now telling us that vaccine passports are our “ticket to freedom,” completely ignoring the fact that our freedom is not, and cannot be, predicated on our medical choices.

That the disease countermeasures we currently see for COVID-19 won’t end with COVID-19 is clear. Will a smallpox outbreak be next? The totalitarian takeover clearly isn’t going as smoothly as they’d hoped, so it’s not unreasonable to suspect they may want to throw something else into the mix – even if it’s only to raise the fear level to the next level.

Sources and References

- [1, 3, 6, 7, 8 New York Times November 23, 2021 \(Archived\)](#)
- [2 The Spectator November 20, 2021](#)
- [4, 5 Gryphon Scientific Risk and Benefit Analysis of Gain of Function Research April 2016](#)
- [9, 16, 17, 18 Tech-gate.org November 20, 2021](#)
- [10 6ABC News November 19, 2021](#)
- [11 The Desert Review November 23, 2021](#)
- [12 Independent November 9, 2021](#)
- [13 CDC.gov Smallpox Vaccines](#)
- [14 Precision Vaccinations November 8, 2021](#)

- ¹⁵ [The Hill November 17, 2021](#)
- ¹⁹ [Operation Dark Winter](#)
- ²⁰ [US News November 9, 2020](#)
- ²¹ [Science Daily December 23, 2009](#)



World Record Holder Has Heart Damaged by Vaccine

Analysis by [Dr. Joseph Mercola](#)

✓ Fact Checked

STORY AT-A-GLANCE

- › Florian Dagoury is a world record holder in static breath-hold freediving; he held his breath for an astonishing 10 minutes and 30 seconds
- › After receiving his second dose of Pfizer's COVID-19 injection, he experienced increased heart rate and a reduction in his breath-holding capacity
- › A cardiologist diagnosed him with myocarditis and pericarditis, both recognized adverse effects linked to the shots
- › In another instance, 34-year-old Jeremy Chardy, a professional tennis player ranked 73rd in the world, suspended his season due to a severe adverse reaction to the COVID-19 shot
- › Veteran triathlete Antoine Méchin, 32, is also facing the potential end to his career after receiving Moderna COVID-19 injections and developing a pulmonary embolism
- › While health officials remain silent about COVID-19 injection reactions, the growing number of reports of adverse reactions cannot be silenced forever

Another elite athlete has experienced devastating injuries after receiving COVID-19 shots. Florian Dagoury is a world record holder in static breath-hold freediving. The freediver – from France and now based in Thailand – held his breath for an astonishing 10 minutes and 30 seconds.

After receiving his second dose of Pfizer's COVID-19 injection, he experienced increased heart rate and a reduction in his breath-holding capacity. A cardiologist diagnosed him with myocarditis, or inflammation of the heart muscle, and pericarditis, which is inflammation of the outer lining of the heart.¹ Both are recognized adverse effects linked to the shots.

While the U.S. Centers for Disease Control and Prevention continues to claim that these effects are "rare" after COVID-19 injections, as of November 10, 2021, 1,793 reports of myocarditis or pericarditis among people ages 12 to 29 years who received COVID-19 injections have been reported to the Vaccine Adverse Event Reporting System (VAERS).²

World Record Holder May See End of His Career

As a result of the shots, Dagoury's career may be over. He shared his experience with Pfizer's COVID-19 shots in his own words on Instagram:³

"Myocarditis, Pericarditis and Trivial Mitral regurgitation! Thank you Pfizer. Just want to share my annoying experience after vaccination and perhaps have some testimonials and similar stories around Freedivers. Did you get better?"

After my 2nd dose I noticed that my heart rate was way higher than normal and my breath hold capacities went down significantly. During sleep, I'm at 65-70bpm instead of 37-45bpm. During the day I'm now always over 100bpm instead of 65bpm, even when I sit down and relax.

I once even reached 177bpm while having dinner with friends !!!! 10 days

after my 2nd jab, I went to see a cardiologist and he told me it's a common side effect of Pfizer vaccin, nothing to worry about, just rest it will pass.

40days after 2nd jab, I had no progress so I went to see another cardiologist and got diagnosed with Myocarditis, Pericarditis and Trivial Mitral regurgitation! Which is basically an inflammation of the heart muscles caused by the immune system and some tiny leaks of blood from the valves that no longer close properly.

I'm now struggling to reach 8min breath hold, 150m dyn and I even have a strong urge to breathe doing 40m dives. 30% decrease on my diving performance roughly.

My first thought and recommendation to Freedivers around the world is to choose a vaccine which is done the old fashion way like Sputnik, Sinovac, Sinopharm etc...instead of those new mRNA vaccines."

Professional Tennis Player Ends Season After Shots

In another instance, 34-year-old Jeremy Chardy, a professional tennis player ranked 73rd in the world, suspended his season due to a severe adverse reaction to the COVID-19 shot, which left him unable to engage in intense activity. Speaking with The COVID World, Chardy said:⁴

"Since I had my vaccine (between the Olympics and the US Open), I have a problem. I am struggling. I can't train, I can't play. In my head, it's difficult because I don't know how long it will last. For now, my season is over and I don't know when it will resume.

It's frustrating because I started the year really well. I was playing very good and then I went to the Olympic Games where I also felt very good. It's frustrating, especially that I don't have ten years left to play. I regret having the vaccine, but I could not have known that this would happen.

I'll be 35 in February so right now I might be a bit negative but this is the first time I have ever thought that this season might be my last. I don't want to think about it ... it's difficult because I was having fun and I want to play longer."

Triathlete's Career May Be Over Due to COVID-19 Injections

Veteran triathlete Antoine Méchin, 32, is also facing the potential end to his career after receiving Moderna COVID-19 injections. After his second dose, he began to experience shortness of breath and low-back pain, which turned out to be a pulmonary embolism.

The symptoms, which included breathing problems and arm pain, started after the first dose, but doctors brushed off his shortness of breath as related to stress and fatigue. About a month after his second dose, shortness of breath and body pain returned. Only after testing at a sports clinic was the pulmonary embolism revealed. Méchin said:⁵

"I am now getting treatment and I hope to regain my lung capacity (in 3-6-9-12 months?) Until then: rest and low intensity for several months. Damaging healthy people to preserve the health of the weakest, a choice of backward logic. I would not get vaccinated again if it had to be done again."

Professional Mountain Biker Sidelined by Shots

Kyle Warner is another example of healthy people in peak physical condition being harmed by COVID-19 injections. Warner, a 29-year-old professional mountain bike racer, got his second dose of Pfizer's COVID-19 shot in June 2021. He suffered a reaction so severe that, as of October, he was still spending days in bed, easily overwhelmed by too much mental or physical exertion.⁶

Within seconds of the second dose, Warner experienced a metallic saline taste in his

mouth, which can be an indication that the shot went into a vessel instead of the muscle.⁷ About two weeks later he started having strange reactions in his heart. Throughout the day, he started experiencing periods of accelerated heart rate.

As is often the case, an ER doctor completely brushed off his symptoms, telling him that he's not having a reaction to the shot but instead was having an anxiety attack. Days after being sent home from the ER – and still experiencing heart problems, including cramping and burning – Warner went to a different hospital, where he was diagnosed with pericarditis along with postural orthostatic tachycardia syndrome (POTS) and reactive arthritis.

POTS is a blood circulation disorder that affects the autonomic nervous system and can be triggered by injections, including mRNA COVID-19 shots.⁸ One of the key symptoms of POTS is a significant increase in heart rate when a person stands up, and the elevated heart rate remains elevated for a longer than normal period. Fatigue, nausea, dizziness, heart palpitations and exercise intolerance can also occur.

While his symptoms of pericarditis have cleared, he's still struggling with the symptoms of reactive arthritis and POTS, which can last for 12 to 18 months or more. And Warner, being very fit and accustomed to listening to his body, caught the problem early – many others may not.

"I believe where there is risk, there needs to be choice," he said.⁹ But right now, people are being misled. "People are being coerced into making a decision based on lack of information versus being convinced of a decision based on total information transparency."¹⁰

Pfizer COVID-19 Shot Increases Myocarditis Risk Threefold

Myocarditis and pericarditis cause symptoms such as chest pain, shortness of breath and a fluttering or pounding heart. Cases have occurred most often after mRNA COVID-19 injections (Pfizer-BioNTech or Moderna), particularly in male adolescents

and young adults, according to the CDC. Further, myocarditis occurs more often after the second injection, usually within a week.¹¹

A large study from Israel¹² revealed that the Pfizer COVID-19 mRNA jab is associated with a threefold increased risk of myocarditis,¹³ leading to the condition at a rate of one to five events per 100,000 persons.¹⁴ Other elevated risks were also identified following the COVID jab, including lymphadenopathy (swollen lymph nodes), appendicitis and herpes zoster infection.¹⁵

The real-world case-control study from Israel included a mean of 884,828 people, aged 16 years and older, in each of two groups: one vaccinated and one control.¹⁶ The increased risk of myocarditis was clear, with researchers noting:¹⁷

"The risk appears to be highest among young men. We found that the risk of myocarditis increased by a factor of three after vaccination, which translated to approximately 3 excess events per 100,000 persons; the 95% confidence interval indicated that values between 1 and 5 excess events per 100,000 persons were compatible with our data.

Among the 21 persons with myocarditis in the vaccinated group, the median age was 25 years (interquartile range, 20 to 34), and 90.9% were male."

When myocarditis occurs, it reduces your heart's ability to pump and can cause rapid or abnormal heart rhythms that can be deadly. In severe cases, myocarditis can cause permanent damage to the heart muscle and lead to heart failure, heart attack, stroke and sudden cardiac death.¹⁸

In August 2021, New Zealand reported the death of a woman following Pfizer's COVID-19 jab, which they believe was due to vaccine-induced myocarditis.¹⁹ Another devastating report in VAERS states that a 15-year-old boy from Colorado, with no preexisting conditions or allergies, died from cardiac failure two days after receiving Pfizer's COVID-19 vaccine.²⁰

Unlike in the U.S., where the CDC has recommended Pfizer's COVID-19 shot for

children 5 years and up, the U.K. is taking a more cautious and sensible approach. Due to myocarditis risks in youth, Britain's Joint Committee on Vaccination and Immunization (JCVI) recommended against COVID-9 injections for healthy 12- to 15-year-olds.

Wei Shen Lim, COVID-19 chair for JCVI, stated, "The margin of benefit is considered too small to support universal Covid-19 vaccination for this age group at this time."²¹

COVID-19 Injection Victims Need To Be Heard

While health officials remain silent about COVID-19 injection reactions, the growing number of reports of adverse reactions cannot be silenced forever. Websites like C19 Vax Reactions,²² started by former Green Bay Packers offensive lineman Ken Ruetters, whose wife Sheryl suffered a severe neurological reaction to Moderna's COVID-19 shot, exist online for people to share their stories.

There you can read over 500 real testimonies of adverse reactions to the shots and view dozens of videos detailing individuals' reactions. The Real, Not Rare website has also collected dozens of stories from people who have been injured by COVID-19 shots,²³ and there's a good chance you know someone personally who's been injured by the injections as well.

It's important that these voices are heard, so if you or a loved one has been injured by a COVID-19 injection, please share your story with us and encourage others you know who have a story to share theirs as well.